	LOS	ANG	ELES CI	TY FIRE D	EPARTMI	ENT
			Divi	sion 5 Permit		
	LOC	CATIO	N INFORM		_	•
					FD USE ONLY	▼
Address:		Date o	of Use:	Date Granted		PERMIT #
				Date Expires		
Name				Phone#:		
City: Los Angeles	State:	Califo	rnia	Zip:	90089	
		C	ONTRACT	OR INFORM	ATION	
Name				Phone#:		
Address:						
City:	State:			Zip:	T	
Print Name	Signature	;			Title	
	PROP	ERTY	OWNER/S	PONSORING	ORGANIZA	TION
Name				Phone#:		
Address:						
City:	State:	CA		Zip:	I	
Print Name	Signature	;			Title	
	•		*Do not w	rite below this l	ine*	
Inspector signature:						FIRE MARSHAL
Date:	Unit	Jnit				
Phone #		e#		Billing and Accounts Receivable , 10th Floor, Room 1070 (RevCode#3882)		oor, Room 1070 (RevCode#3882)
ITEM	Code ID	No	FEE			
Fireworks-ground display	380					
" aerial burst under 6"	390					
" aerial burst over 6"	400					
Exhibit, Show or Circus	420					
Tent- 450 to 3,500 sq. ft.	430					
Tent- 3,500 to 25,000 sq. ft.	440					
Tent- over 25,000 sq. ft.	450					

TOTALS—

BASIC SETUP REQUIREMENTS

All setups and operations are subject to field inspection by an inspector

- 1. Special Permit (F-315) is required for any open flame on premises.
- 2. A Division 5 Permit is required for setups of tents, canopies, or membrane structures if the total square footage is more than 450 Sq. Ft.
- A Building and Safety Permit is required for all electrical, natural gas, or water installations that extend from the building.
 (Department of Building and Safety Public Information for: Electrical- (213) 485-2333; Plumbing- (213) 485-7864)
- 4. Generators must be placed 20 feet from the building. Also, must have a 20BC Fire Extinguisher placed nearby.
- 5. Electrical wires or cables, and any gas/water piping on ground located in public area must be matted.
- 6. No cooking under tents, canopies, or membranes is allowed. However, if canopy is metal (noncombustible), cooking is permitted. A 10 foot clearance must be maintained between the structure or booth
- 7. If a propane tank is used, a minimum 10 feet clearance must be kept between an tank and appliance(s).
- 8. Every booth where there will be cooking shall have a 2A-10BC extinguisher throughout.
- 9. Barbeques must be kept in a remote area where there is no public access.
- 10. CARNIVAL AREA: Provide an additional extinguisher throughout. (within 75' of travel)
- 11. All rides shall have a 2A-10BC fire extinguisher. NO rides may be within 20 feet of a building.
- 12. ALL exits and aisles must be maintained free and clear of any items.
- 13. Tents and canopies shall have a State Fire Marshal Flame Resistance Rating
- 14. ALL decorations, etc. shall be flame retardant.
- 15. A 7 foot overhead clearance must be maintained in all public access areas.
- 16. A 20 foot Fire lane with a minimum 14 foot overhead clearance must be maintained
- 17. All Booths shall be a minimum of 10 feet away from structures.
- 18. Tables shall be arranged so that the seating edges of adjacent tables are not les than 54 inches apart.
- 19. Rectangular tables arranged to accommodate seating on one side only shall have not less than 36 inches between adjacent table edges.
- 20 Every chair shall be within 20 feet of an aisle.
- 21. Loose Chair Seating The space between rows of chairs shall be not less that 33 inches. The space between the back of each seat and front of the seat immediately behind will not be less than 12 inches, Seats shall be arranged so that there shall be not more than six ntervening seats between any seat and the nearest aisle.

SIGNATURE/TITLE	DATE	

OUTDOOR SPECIAL EVENT REQUIREMENTS

- 1. Event organizers shall be responsible for compliance with conditions listed in Addendum #001 by all cooking vendors.
- 2. All venue occupant loads shall be maintained
- 3. All exits and aisles shall be maintained free and clear
- 4. All cables shall be taped, matted or flown.
- 5. Compressed gas cylinders shall be secured at all times and capped if not being used.
- 6. Fire lanes shall be maintained unobstructed at all times.
- 7. All fire protection systems shall be visible and unobstructed.
- 8. All decorations shall be flame retardant.
- 9. No motor vehicles shall be operated in the event area.
- 10. At the closing of the event, event organizers shall maintain the perimeter and not allow motor vehicles into the event area until the public is cleared.
- 11. Event signs, fire lanes signs and occupant load signs shall be displayed and visible before the event is opened to the public.
- 12. Event organizer(s) shall be responsible for submitting to the Fire Department, a list of all cooking vendors and the signed copies of **ADDENDUM #001** (**Requirement for cooking**), by each cooking vendor.

RECEIVED BY:		TITLE:	
'			
DATE			

ADDENDUM #001

COOKING AT SPECIAL EVENTS-REQUIREMENTS

	ADDENDUM TO SPECIAL PERMIT (F-315) NO:
	EVENT:
	DATES-FROM TO:
	DBA/BOOTH:
1.	NO cooking under canopies or in unapproved indoor structures.
2.	Cooking devices using propane must have the propane bottle outside the booth and properly secured in an upright position. Use of propane indoors is <u>PROHIBITED</u>
3.	All fittings and hose used with propane shall be approved for such use by an approved testing laboratory.
4.	Propane shall be limited to the supply on site. There shall be no remote storage area.
5.	Propane cylinder size is limited to a 5.76 gallon capacity.
6.	Limit of one propane cylinder per appliance.
7.	Refueling of propane cylinders on site or at other nonapproved locations is prohibited.
8.	A fire extinguisher with a minimum of 20BC classification is to be provided at each booth.
9.	A minimum of three (3) feet clearance must be provided between the public and the cooking device by a barricade.
10.	All cooking devices shall be secure, stable, and level.
11.	The L.A. County Health Department approval must be obtained for cooking on site.
12.	No Smoking within 25 feet of propane cylinder and No Smoking inside a tent of canopy.
13.	Coals shall be fully extinguished and cold, then placed into an clean noncombustible container for disposal.
14.	All propane connections shall be tested for leakage by performing the manufacurers recommended testing procedures.
RECEI	VED BY: DATE;

PLEASE SIGN TWO COPIES. ONE COPY SHALL REMAIN ON SITE AND THE OTHER FOR THE FIRE DEPARTMENT.

BBQ PERMIT INSTRUCTIONS

(Attach to F-315 Special Permit)

1. Applications shall be made to the Los Angeles City Fire Department for use of portable Barbeque Devices.

NOTE: Notification must be made to the Safety Section of the L.A. U.S.D. Board of Education, when a barbeque device is located on L.A.U.S.D. property

- 2. Portable barbeques may only use charcoal briquettes, natural gas, or electricity as the fuel.
- 3. The location of the barbeque device should be in a non-enclosed area, located at least five (5) feet away from any combustible material, and shall have at least five (5) feet of clear working space completely around the device.
- 4. The barbeque device must be so isolated that persons other than the operators may not approach nearer than five (5) feet of the device. There shall be a rigid restricting barrier.
- 5. Only adults should be allowed inside the barrier. Absolutely no children under twelve (12) years of age shall be within the barrier
- 6. One water type extinguisher of at least 2-1/2 gallon capacity shall be available inside the barrier
- 7. Flammable liquids shall not be used to start charcoal.
- 8. At the termination of use, the embers and ashes shall be thoroughly soaked with water.

SIGNATURE:	DATE:	

TENT CHECKLIST

FOR FIRE DEPARTMENT APPROVAL

and items inside the tent as per Division 33 and Division 115 Show distance from tent to any structures or property lines on layout. 10 away under 1,500 sq. ft. 30 away if between 1,500 sq. ft. 50 away if between 1,500 sq. ft. 50 away if between 1,500 sq. ft. 50 away if over 15,000 sq. ft. 50 away of over 15,000 sq. ft. 50 away if over 1		Provide three sets of layouts drawn to scale showing all equipment	Occupant Loads: Check on that applies
Show distance from tent to any structures or property lines on layout. 10° away under 1,50° sq. ft. 30° away if between 1,50° sq. ft. 50° away if over 15,00°		and items inside the tent as per Division 33 and Division 115	over 49- illuminated exit signs
10° away under 1,500 sq. ft. 30° away if between 1,500 sq. ft. 50° away if over 15,000 sq. ft. FOR TENTS OVER 1,500 Sq. ft. 50° to 999 - 1 Uniformed Fire Safety Officer 1,000 or more - 2 Uniformed Fire Safety Officer 1,000			
30' away if hetween 1,501 and 15,000 sq. ft. 50' away if over 15,000 sq. ft. 50' away if over 15,000 sq. ft. 50' away if over 15,000 sq. ft. FOR TENTS OVER 1,500 SQ. FEET: An unobstructed passageway not less than six feet in width and free from guy wires or other obstructions shall be maintained on all sides of tents. EXITING-Exit width, number of exits, aisles, cables matted or flown above ground. Show location of equipment or tent lines in relation to exits as per Division 115. No parking within 50 ft. of tent(s) (most restrictive) No parking within 50 ft. of tent(s) (most restrictive) It is understood that support vehicles (catering trucks, etc.) must be at least 20' away from tent. "NO SMOKING" signs will be installed in tent in a conspicuous place (NO ASH TRAYS) * No. of "No Smoking" signs required Fire Extinguishers will be provided in all tents and mounted in a conspicuous place. * No. of extinguishers required No OPEN FLAME WITHIN THE TENT- Sterno for warming food IS allowed with chafing dishes QNLY_Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. SAFETY OFFICER(s) 299 - 1 Uniformed Fire Safety Officers 500 to 999 - 1 Uniformed Fire Safety Officers No. of Fire Safety Officers required for this event? (at \$55 per hour, 4 hour minimum per Fire Safety Officer CATERER: Address: City: Phone: Contact Person: None: Address: City: Phone: Contact Person: Norify Inspector Jerry Hurt of the Department of Building and Safety Contact Person: A set of approved plans shall be on site and made accessible to the Fire marshal A set of approved plans shall be on site and made accessible to the Fire marshal		Show distance from tent to any structures or prpoerty lines on layout.	1,000 or more - 1 1/2" hose line provided for fire fighting.
50' away if over 15,000 sq. ft. FOR TENTS OVER 1,500 SQ. FEET: An unobstructed passageway not less than six feet in width and free from guy wires or other obstructions shall be maintained on all sides of tents. EXITING-Exit width, number of exits, aisles, cables matted or flown above ground. Show location of equipment or tent lines in relation to exits as per Division 115. No parking within 50 ft. of tent(s) (most restrictive) It is understood that support vehicles (catering trucks, etc.) must be at least 20' away from tent. "NO SMOKING" signs will be installed in tent in a conspicuous place (NO ASH TRAYS) * No. of "No Smoking" signs required Fire Extinguishers will be provided in all tents and mounted in a conspicuous place. * No. of extinguishers required NO OPEN FLAME WITHIN THE TENT- Sterno for warming food IS allowed with chafing dishes QNLY. Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. 500 to 999 - 1 Uniformed Fire Safety Officers No. of Fire Safety Officers CatExtent (at \$55 per hour, 4 hour minimum per Fire Safety Officer CATERER: Name: Address: City: Phone: Contact Person: TENT COMPANY Name: Address: City: Phone: Contact Person: Contact Person: Contact Person: Tent Company No. of the location, phone number, and dates A set of approved plans shall be on site and made accessible to the Fire marshal No OPEN FLAME WITHIN THE TENT- Sterno for warming food IS allowed with chafing dishes QNLY. Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. THE ABOVE IS CORRECT AND TRUE TO FORM: DATE:		· 1	
### Independent of the investment of the investm		30' away if between 1,501 and 15,000 sq. ft.	SAFETY OFFICER(s) required if - occupant loads is
not less than six feet in width and free from guy wires or other obstructions shall be maintained on all sides of tents. EXITING-Exit width, number of exits, aisles, cables matted or flown above ground. Show location of equipment or tent lines in relation to exits as per Division 115. No parking within 50 ft. of tent(s) (most restrictive) It is understood that support vehicles (catering trucks, etc.) must be at least 20' away from tent. "NO SMOKING" signs will be installed in tent in a conspicuous place (NO ASH TRAYS) *No. of "No Smoking" signs required Fire Extinguishers will be provided in all tents and mounted in a conspicuous place. *No. of extinguishers required No OPEN FLAME WITHIN THE TENT- Sterno for warming food IS allowed with chafing dishes ONLY. Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. THE ABOVE IS CORRECT AND TRUE TO FORM: DATE: No. of Fire Safety Officers required for this event? (at \$55 per hour, 4 hour minimum per Fire Safety Officer CATERER. Name: (at \$55 per hour, 4 hour minimum per Fire Safety Officer CATERER. Name: Address: City: Phone: TENT COMPANY Name: Address: City: Phone: City: Phone: Cottact Person: TENT COMPANY Name: Address: City: Phone: City: Phone: City: Phone: Cottact Person: Address: City: Phone: City: Phone: City: Phone: City: Phone: City: Phone: Address: City: Phone: Address: City: Phone: City: Phone: City: Phone: City: Phone: City: Phone: City: Phone: City: Phone: City: Phone: City: Phone: City: Phone: City: Phone: City: Phone: City: Phone: City: Phone: City: City: Phone: City: City: Phone:		50' away if over 15,000 sq. ft.	•
not less than six feet in width and free from guy wires or other obstructions shall be maintained on all sides of tents. EXITING-Exit width, number of exits, asiles, cables matted or flown above ground. Show location of equipment or tent lines in relation to exits as per Division 115. No parking within 50 ft. of tent(s) (most restrictive) It is understood that support vehicles (catering trucks, etc.) must be at least 20 away from tent. "NO SMOKING" signs will be installed in tent in a conspicuous place (NO ASH TRAYS) * No. of "No Smoking" signs required Fire Extinguishers will be provided in all tents and mounted in a conspicuous place. * No. of extinguishers required NO OPEN FLAME WITHIN THE TENT- Sterno for warming food IS allowed with chafing dishes ONLY. Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. No. of Fire Safety Officers (at \$55 per hour, 4 hour minimum per Fire Safety Officer (at \$55 per hour, 4 hour minimum per Fire Safety Officer CATERER. Name: Address: City: Phone: Contact Person: TENT COMPANY Name: ** **No. of "No Smoking" signs required **No. of extinguishers will be provided in all tents and mounted in a conspicuous place. **No. of extinguishers required **No. of extinguishers required **No. of extension in the conspicuous place and safety conspicuous place. **No. of extinguishers required **No. of extinguishers required **No. of extinguishers required **A set of approved plans shall be on site and made accessible to the Fire marshal **No. of extinguishers will be located outside the tent at least 10' away and secured to tent stakes. **THE ABOVE IS CORRECT AND TRUE TO FORM: DATE:			1,000 or more - 2 Uniformed Frie Safety Officers
obstructions shall be maintained on all sides of tents. EXTTING-Exit width, number of exits, aisles, cables matted or flown above ground. Show location of equipment or tent lines in relation to exits as per Division 115. No parking within 50 ft. of tent(s) (most restrictive) It is understood that support vehicles (catering trucks, etc.) must be at least 20' away from tent. "NO SMOKING" signs will be installed in tent in a conspicuous place (NO ASH TRAYS) No. of "No Smoking" signs required Fire Extinguishers will be provided in all tents and mounted in a conspicuous place. * No. of extinguishers required No OPEN FLAME WITHIN THE TENT: Sterno for warming food IS allowed with chafing dishes ONLY. Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. THE ABOVE IS CORRECT AND TRUE TO FORM: (at \$55 per hour, 4 hour minimum per Fire Safety Officer CATERER: Name: Address: City: Phone: Contact Person: Address: City: Phone: Contact Person: Notify Inspector Jerry Hurt of the Department of Building and Safety (213) 237-1459, of the location, phone number, and dates A set of approved plans shall be on site and made accessible to the Fire marshal NO OPEN FLAME WITHIN THE TENT: Sterno for warming food IS allowed with chafing dishes ONLY. Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. THE ABOVE IS CORRECT AND TRUE TO FORM: DATE:		, ~	
EXITING-Exit width, number of exits, aisles, cables matted or flown above ground. Show location of equipment or tent lines in relation to exits as per Division 115. No parking within 50 ft. of tent(s) (most restrictive) No parking within 50 ft. of tent(s) (most restrictive) It is understood that support vehicles (catering trucks, etc.) must be at least 20' away from tent. "NO SMOKING" signs will be installed in tent in a conspicuous place (NO ASH TRAYS) **No. of "No Smoking" signs required Fire Extinguishers will be provided in all tents and mounted in a conspicuous place. **No. of extinguishers required NO OPEN FLAME WITHIN THE TENT- Sterno for warming food IS allowed with chafing dishes ONLY. Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. THE ABOVE IS CORRECT AND TRUE TO FORM: DATE: **No. of exitinguishers required to tent stakes. DATE:		÷ .	· · · · · · · · · · · · · · · · · · ·
above ground. Show location of equipment or tent lines in relation to exits as per Division 115. No parking within 50 ft. of tent(s) (most restrictive) It is understood that support vehicles (catering trucks, etc.) must be at least 20' away from tent. "NO SMOKING" signs will be installed in tent in a conspicuous place (NO ASH TRAYS) * No. of "No Smoking" signs required Fire Extinguishers will be provided in all tents and mounted in a conspicuous place. * No. of extinguishers required Notify Inspector Jerry Hurt of the Department of Building and Safety (213) 237-1459, of the location, phone number, and dates * No. of extinguishers required NO OPEN FLAME WITHIN THE TENT- Stemo for warming food IS allowed with chaffing dishes ONLY. Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. THE ABOVE IS CORRECT AND TRUE TO FORM: DATE:		obstructions shall be maintained on all sides of tents.	(at \$55 per hour, 4 hour minimum per Fire Safety Officer
exits as per Division 115. No parking within 50 ft. of tent(s) (most restrictive) Phone: Contact Person: It is understood that support vehicles (catering trucks, etc.) must be at least 20' away from tent. "NO SMOKING" signs will be installed in tent in a conspicuous place (NO ASH TRAYS) * No. of "No Smoking" signs required Fire Extinguishers will be provided in all tents and mounted in a conspicuous place. * No. of extinguishers required NO OPEN FLAME WITHIN THE TENT- Sterno for warming food IS allowed with chafing dishes ONLY. Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. THE ABOVE IS CORRECT AND TRUE TO FORM: Address: City: TENT COMPANY Name: Address: City: Phone: Contact Person: Notify Inspector Jerry Hurt of the Department of Building and Safety (213) 237-1459, of the location, phone number, and dates A set of approved plans shall be on site and made accessible to the Fire marshal NO OPEN FLAME WITHIN THE TENT- Sterno for warming food IS allowed with chafing dishes ONLY. Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. THE ABOVE IS CORRECT AND TRUE TO FORM: DATE:		EXITING-Exit width, number of exits, aisles, cables matted or flown	<u>CATERER:</u>
No parking within 50 ft. of tent(s) (most restrictive) It is understood that support vehicles (catering trucks, etc.) must be at least 20' away from tent. "NO SMOKING" signs will be installed in tent in a conspicuous place (NO ASH TRAYS) *No. of "No Smoking" signs required Fire Extinguishers will be provided in all tents and mounted in a conspicuous place. *No. of extinguishers required *No. of extinguishers required NO OPEN FLAME WITHIN THE TENT- Sterno for warming food IS allowed with chafing dishes ONLY. Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. City: Phone: Contact Person: Contact Person: Notify Inspector Jerry Hurt of the Department of Building and Safety (213) 237-1459, of the location, phone number, and dates A set of approved plans shall be on site and made accessible to the Fire marshal NO OPEN FLAME WITHIN THE TENT- Sterno for warming food IS allowed with chafing dishes ONLY. Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. THE ABOVE IS CORRECT AND TRUE TO FORM: DATE:		above ground. Show location of equipment or tent lines in relation to	Name:
No parking within 50 ft. of tent(s) (most restrictive) It is understood that support vehicles (catering trucks, etc.) must be at least 20' away from tent. "NO SMOKING" signs will be installed in tent in a conspicuous place (NO ASH TRAYS) **No. of "No Smoking" signs required Tire Extinguishers will be provided in all tents and mounted in a conspicuous place. **No. of extinguishers required **No. of extinguishers required NO OPEN FLAME WITHIN THE TENT- Sterno for warming food IS allowed with chafing dishes ONLY. Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. **THE ABOVE IS CORRECT AND TRUE TO FORM: Phone: TENT COMPANY Name: **TENT COMPANY Name: **City: Phone: Contact Person: Otive: Phone: City: Phone: City: Phone: Address: (213) 237-1459, of the location, phone number, and dates A set of approved plans shall be on site and made accessible to the Fire marshal **No OPEN FLAME WITHIN THE TENT- Sterno for warming food IS allowed with chafing dishes ONLY. Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. **THE ABOVE IS CORRECT AND TRUE TO FORM: DATE:		exits as per Division 115.	Address:
It is understood that support vehicles (catering trucks, etc.) must be at least 20' away from tent. "NO SMOKING" signs will be installed in tent in a conspicuous place (NO ASH TRAYS) * No. of "No Smoking" signs required Fire Extinguishers will be provided in all tents and mounted in a conspicuous place. * No. of extinguishers required * No. of extinguishers required NO OPEN FLAME WITHIN THE TENT- Sterno for warming food IS allowed with chafing dishes ONLY, Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. Contact Person: TENT COMPANY Name: Address: City: Phone: Contact Person: Contact Person: Address: (213) 237-1459, of the location, phone number, and dates A set of approved plans shall be on site and made accessible to the Fire marshal NO OPEN FLAME WITHIN THE TENT- Sterno for warming food IS allowed with chafing dishes ONLY, Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. THE ABOVE IS CORRECT AND TRUE TO FORM: DATE:		•	City:
It is understood that support vehicles (catering trucks, etc.) must be at least 20' away from tent. TENT COMPANY		No parking within 50 ft. of tent(s) (most restrictive)	Phone:
at least 20' away from tent. "NO SMOKING" signs will be installed in tent in a conspicuous place (NO ASH TRAYS) City: Phone: *No. of "No Smoking" signs required Fire Extinguishers will be provided in all tents and mounted in a conspicuous place. Notify Inspector Jerry Hurt of the Department of Building and Safety (213) 237-1459, of the location, phone number, and dates NO OPEN FLAME WITHIN THE TENT- Sterno for warming food IS allowed with chafing dishes ONLY. Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. THE ABOVE IS CORRECT AND TRUE TO FORM: DATE:			Contact Person:
at least 20' away from tent. "NO SMOKING" signs will be installed in tent in a conspicuous place (NO ASH TRAYS) City: Phone: *No. of "No Smoking" signs required Fire Extinguishers will be provided in all tents and mounted in a conspicuous place. Notify Inspector Jerry Hurt of the Department of Building and Safety (213) 237-1459, of the location, phone number, and dates NO OPEN FLAME WITHIN THE TENT- Sterno for warming food IS allowed with chafing dishes ONLY. Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. THE ABOVE IS CORRECT AND TRUE TO FORM: DATE:		It is understood that support vehicles (catering trucks, etc.) must be	
"NO SMOKING" signs will be installed in tent in a conspicuous place (NO ASH TRAYS) * No. of "No Smoking" signs required Contact Person: Fire Extinguishers will be provided in all tents and mounted in a conspicuous place. * No. of extinguishers required * No OPEN FLAME WITHIN THE TENT- Sterno for warming food IS allowed with chafing dishes ONLY. Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. THE ABOVE IS CORRECT AND TRUE TO FORM: DATE:			TENT COMPANY
City: Phone: *No. of "No Smoking" signs required *No. of "No Smoking" signs required *No. of "No Smoking" signs required *No. of will be provided in all tents and mounted in a conspicuous place. *No. of extinguishers required *No. of extinguishers required *No OPEN FLAME WITHIN THE TENT- Sterno for warming food IS allowed with chafing dishes ONLY. Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. *DATE:		•	Name:
* No. of "No Smoking" signs required * No. of extinguishers will be provided in all tents and mounted in a conspicuous place. * No. of extinguishers required * No. of extinguishers required * No OPEN FLAME WITHIN THE TENT- Sterno for warming food IS allowed with chafing dishes ONLY. Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. * DATE:		"NO SMOKING" signs will be installed in tent in a conspicuous place	Address:
* No. of "No Smoking " signs required Contact Person: Fire Extinguishers will be provided in all tents and mounted in a conspicuous place. (213) 237-1459, of the location, phone number, and dates * No. of extingusihers required A set of approved plans shall be on site and made accessible to the Fire marshal NO OPEN FLAME WITHIN THE TENT- Sterno for warming food IS allowed with chafing dishes ONLY. Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. THE ABOVE IS CORRECT AND TRUE TO FORM: DATE:		(NO ASH TRAYS)	City:
Fire Extinguishers will be provided in all tents and mounted in a Conspicuous place. * No. of extingusihers required * No OPEN FLAME WITHIN THE TENT- Sterno for warming food IS allowed with chafing dishes ONLY. Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. THE ABOVE IS CORRECT AND TRUE TO FORM: DATE:			Phone:
conspicuous place. * No. of extingusihers required * No OPEN FLAME WITHIN THE TENT- Sterno for warming food IS allowed with chafing dishes ONLY. Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. THE ABOVE IS CORRECT AND TRUE TO FORM: Carry 13 237-1459, of the location, phone number, and dates		* No. of "No Smoking " signs required	Contact Person:
conspicuous place. * No. of extingusihers required * No OPEN FLAME WITHIN THE TENT- Sterno for warming food IS allowed with chafing dishes ONLY. Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. THE ABOVE IS CORRECT AND TRUE TO FORM: Carry 13 237-1459, of the location, phone number, and dates		Fire Extinguishers will be provided in all tents and mounted in a	Notify Inspector Jerry Hurt of the Department of Building and Safety
* No. of extingusihers required NO OPEN FLAME WITHIN THE TENT- Sterno for warming food IS allowed with chafing dishes ONLY. Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. THE ABOVE IS CORRECT AND TRUE TO FORM: DATE:			
NO OPEN FLAME WITHIN THE TENT- Sterno for warming food IS allowed with chafing dishes ONLY. Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. THE ABOVE IS CORRECT AND TRUE TO FORM: DATE:			(===) == = = ==========================
allowed with chafing dishes ONLY. Exceptions to this require Permit F315. Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. THE ABOVE IS CORRECT AND TRUE TO FORM: DATE:		* No. of extingusihers required	A set of approved plans shall be on site and made accessible to the Fire marshal
Heaters must be approved type and located 10' away from exits. Propane tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. THE ABOVE IS CORRECT AND TRUE TO FORM: DATE:		NO OPEN FLAME WITHIN THE TENT- Sterno for warming food IS	
tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. THE ABOVE IS CORRECT AND TRUE TO FORM: DATE:		allowed with chafing dishes <u>ONLY</u> . Exceptions to this require Permit F315.	
tanks for heater will be located outside the tent at least 10' away and secured to tent stakes. THE ABOVE IS CORRECT AND TRUE TO FORM: DATE:		Heatens must be approved type and legated 10' array from arity. Dramone	
Secured to tent stakes. THE ABOVE IS CORRECT AND TRUE TO FORM: DATE:			
THE ABOVE IS CORRECT AND TRUE TO FORM: DATE:		•	
		secured to tent stakes.	
	THE	AROVE IS CORRECT AND TRUE TO FORM	DATE
	11112		DIXID.

LOS ANGELES CITY FIRE DEPARTMENT SCHOOLS AND CHURCHES/INSTITUTIONS UNIT AUTHORIZATION FOR SAFETY WATCH

SPECIAL EVENTS

The following emer	rgency inspection was co			
A. Carnivals			Outdoor Special Event	ts
B. Exhibits		I.	Church Revivals	
C. Shows		J.		
D. Circus			Events w/open flames,	, i.e., Candles
E. Firework DisplF. Parties, i.e., Pre	•		L.A. U. S. D. Events	
F. Parties, i.e., PreG. Events within T		171.	Other	
G. Events within .	ents			
BILL TO:	I, (Name)			
Diam =	Company (Name):			
	Address:			
	City, State/Zip:			
	Phone:			
am the responsible	party and am authorized	to expend funds for a	Safety Watch at:	
	SITE ADDRESS:			
I hereby request tha	at a Fire Department Insp	pector perform a safety	/ watch for:	
	Type of Inspection:			
			ne to be scheduled at a la	ater date.
I agree to pay a fee hour thereafter.	of \$220.00 for the first for	four hours or any fract	ion of that period, and a	a fee of \$55.00 per
		FOUR HOUR MIN	NIMUM	
Authorizing Signat	ture		Date_	
	Print)			
-	_(Signature)			to
Annroved by:			Date	
	(Unit Commander's Sig		-	
	F	OR ACCOUNTING	USE ONLY	
	DATE RECEIVED:	DA	TE INVOICED	